



PAGID

BRAKE SYSTEMS

**CERAMIC SILVER
RANGE – COMFORT AND
PERFORMANCE IN
HARMONY**

THE
WORKSHOP'S
FRIEND



RELIANCE. TRUST. PERFORMANCE.

HELLA PAGID – CERAMIC SILVER Brake Pads

NO COMPROMISES

The CERAMIC SILVER brake pads to come out of the HELLA PAGID ateliers have been developed and tested with two definitive objectives in mind – to surpass OE quality standards and also to meet the regional and individual needs of our customers. Extensive tests conducted in our in-house research and development centers unequivocally show that the CERAMIC SILVER friction material meets the highest technical demands when it comes to safety, performance, comfort and durability and has indeed passed such tests with flying colors.

- ✓ Perfect brake control
- ✓ Long service life, low wear rate
- ✓ 100 percent asbestos-free and organic
- ✓ Stable and high friction coefficient
- ✓ Minimal brake dust accumulation
- ✓ Excellent technology and quality
- ✓ Maximum comfort
- ✓ High safety level




The joint venture of HELLA PAGID BRAKE SYSTEMS links up the long-standing Original Equipment production expertise of the world's biggest brake pad manufacturer TMD Friction with the global sales and service competence of HELLA.

Testing of our CERAMIC SILVER brake pad material in comparison to main competitors of the automotive aftermarket with OE-competence


LEAST FADING CHARACTERISTICS UNDER EXTREME AND HIGH TEMPERATURE DRIVING CONDITIONS

Testing of fading during 15 brakes from 100 kph to 5 kph (a = 40 %)



SUPERIOR PERFORMANCE UNDER NORMAL DRIVING CONDITIONS

Testing of brake characteristic value under normal operating conditions (30 bar; 80 kph → 30 kph)




SAFETY & PERFORMANCE: UNSURPASSED STOPPING POWER

HELLA PAGID CERAMIC SILVER Brake Pads demonstrate strong consistent braking performance across a wide range of day-to-day operating conditions, inspiring confidence with well-modulated brake pedal control.

LOWEST WEAR ON BRAKE PADS AND ROTOR DISCS LEAD TO LONG LIFETIME AND LESS BRAKE DUST ACCUMULATION

Wear in gramm at end of AK Master performance test



HELLA PAGID GmbH

Lüschershofstraße 80
45356 Essen, Germany
E-Mail: service@hella-pagid.com
Internet: www.hella-pagid.com

HELLA Automotive Sales, Inc.

201 Kelly Drive
30269 Peachtree City, Georgia
Tel.: +1 770 631 7500
Fax: +1 770 631 7575
Internet: www.hellausa.com

© HELLA GmbH & Co. KGaA, Lippstadt
04.22

Subject to technical and price modifications